



National Station Improvement Programme

Queens Road Peckham Station Final report

January 2010

Global reach, local knowledge.
Local focus. Worldwide strength. Multi-sector
experience. Multi-disciplinary expertise.
Faber Maunsell offers this all – delivering
outstanding solutions that help to create
a better world in which to work and live.

National Station Improvement Plan
Queens Road Peckham Station Summary Report

Passenger Focus
January 2009

Table of Contents

1	Introduction	2
	1.1 Overview	2
	1.2 Report Layout	2
2	Methodology.....	4
	2.1 Questionnaire Design.....	4
	2.2 Fieldwork.....	4
	2.3 Additional Shifts	4
	2.4 Data Entry and Processing	5
	2.5 Response Rate and Respondents Profile	6
	2.6 Travel Habits.....	6
3	Analysis	8
	3.1 Journey to/from the Station	8
	3.2 Station Satisfaction	16
	3.3 Important Station Facilities.....	17
	3.4 Facilities in Need of Improvement.....	20

Introduction

1 Introduction

1.1 Overview

Passenger Focus, Network Rail and the Association of Train Operating Companies (ATOC) appointed Faber Maunsell to investigate passenger perceptions and satisfaction with the station environment and facilities at 25 stations across England and Wales. This study aims to provide evidence to establish the impact of the National Stations Improvement Programme (NSIP) by measuring and benchmarking the level of passenger satisfaction with the station environment prior to any improvement work taking place. NSIP is a government-sponsored programme providing £150 million of funding to support improvements at 150 category A-E¹ rail stations across England and Wales. A similar study will be repeated in 2009/2010 at the same stations after improvement works have been completed, thereby enabling the elements of the improvement works that had the greatest impact on passenger satisfaction to be determined.

Twenty seven reports have been produced for this survey; one overall report, twenty five individual station reports and one summary report for the five Anglesey stations. This report summarises the data for Queens Road Peckham station.

1.2 Report Layout

This report summarises the findings from the research undertaken at Queens Road Peckham station prior to the implementation of NSIP. Following this introduction, **Chapter 2** discusses the methodology used in undertaking the 'before' surveys, **Chapter 3** reports on the findings of the survey and **Chapter 4** summarises the findings.

¹ National rail stations are categorised in six bands, broadly corresponding to their level of use. Major termini are found in category A, whilst unstaffed halts are found in category F.

Methodology

2 Methodology

2.1 Questionnaire Design

Faber Maunsell designed the questionnaire in conjunction with Passenger Focus, Network Rail and ATOC. The questionnaire identified which station the respondent was handed the questionnaire, whether each respondent was arriving, leaving or changing trains and the mode of travel to or from the station. Respondents were asked whether there was an alternative mode of travel they would like to use to access the station, what it was and what improvements would be needed for them to use this mode. Respondents were then asked to rate a number of station facilities and their overall satisfaction with the station, where they were handed the questionnaire. It is important to note that where respondents have expressed dissatisfaction with a facility that does not currently exist at the station, it may be because they feel such a facility should be provided. Respondents were then asked to indicate which facilities are important to them and which single new facility currently not available they would like to see at the station. They were then asked to rank existing facilities in need of improvement and whether they had noticed any improvement in the past year. General respondent profile and ticket information was also collected. A copy of the questionnaire can be seen in **Appendix A**.

2.2 Fieldwork

Self completion questionnaires were handed out to passengers at each station between 22nd November 2008 and 18th December 2008. Three six hour shifts were carried out at each station: one weekday morning shift 07:00-13:00; one weekday afternoon shift 13:00-19:00; and one Saturday shift 10:00-16:00.

Interviewers were provided with 210 questionnaires to hand out at each station over each six hour shift. This was possible at the busier stations but not so at those stations with lower footfalls. On average around 160 questionnaires were handed out per shift. The questionnaires were handed out by trained interviewers, with pens and reply-paid envelopes.

Where possible, passengers were encouraged to return the completed questionnaires to interviewers, before boarding the train. If this was not practicable respondents were asked to complete the questionnaire at another time during the day and return it by post using the reply-paid envelope.

2.3 Additional Shifts

After completing three interviewer shifts at each station, the number of returned questionnaires at some stations was low. In order to boost the sample size at these stations, extra shifts, were conducted between the 15th and 19th December 2008. The additional shifts were all carried out over the morning peak. Interviewers were asked to start at 07.00 and continue until at least

10.00. Interviewers were asked to distribute 100 questionnaires at each of the stations.

Table 1 below highlights the number of shifts undertaken at Queens Road Peckham station and the number of returned completed surveys.

Table 1 Number of shifts and returned surveys

Station	Initial shifts (230 surveys to be handed out per shift)	Additional shifts (100 surveys to be handed out per shift)	Number of completed surveys returned	Daily Patronage Figures ²	Approx. response rate
Queens Road Peckham	3	2	117	4051	2.9%

2.4 Data Entry and Processing

All questionnaires received by 7th January 2009 (2,117) were data entered by F1 Data Services. Each questionnaire was checked and allocated a unique serial number for identification purposes by Faber Maunsell before it was sent off for data entry. F1 Data Services coded questions where necessary and data entered the surveys into a fixed-column ASCII file. To ensure data quality, F1 Data Services entered the data twice (double entry) and compared the two files for verification. Questionnaires (97) received between 7th January and 16th January 2009 were data entered and coded in house and merged with the data set from F1 data services.

On receipt of the data file, Faber Maunsell created a syntax file which read the data into SPSS and checked the range, routing and logic of answers given by respondents. Checks included running frequency tables to ensure all responses were valid and all routing was correctly observed. In instances where data from linked questions was missing but could be deduced from subsequent questions syntax was written to cater for this. For example, if Q2 was blank but Q3 was answered, code 1 would be inserted at Q2. However, if it was not clear what the response should be, the data was cleared. For example if Q2 was blank but both Q3 and Q4 were answered the data for Q3 and Q4 would be cleared from the data set. For Q14 only comments accompanying a ranking have been reported. Any rankings numerically higher than three have been removed.

Once the checks on the data had been made, frequencies, cross tabulations and mean scores were run. As well as a data set for all responses, individual data sets were produced for each station. Due to the low sample size, a combined data set for the five Anglesey stations was also produced.

² Figures taken from Office of Rail Regulation website 2007 figures (data collated by Delta Rail)

2.5 Response Rate and Respondents Profile

In total, 117 questionnaires were received from respondents at Queens Road Peckham station; 33.0% of respondents were male and 67.0% female³. The highest proportion of respondents was aged 26-34 with nearly half (46.2%⁴) of respondents in this age group. The majority of respondents (106⁵) did not have a disability. One respondent was a wheelchair user, two people had hearing impairments, one person had a visual impairment and one person had a disability categorized as 'other', which wasn't listed on the questionnaire.

92.2%⁶ of respondents used Queens Road Peckham station at least once a week. The single most popular reason for using Queens Road Peckham station was for the daily work commute, chosen by 67.8%⁷ of respondents. The majority (89⁸) of respondents at Queens Road Peckham station were not travelling with any other adults; 11 were travelling with another adult, whilst one respondent was travelling with one child, and another was travelling with two children.

2.6 Travel Habits

Table 2 Type of tickets used for journey at Queens Road Peckham station

What type of ticket did you use for your journey?	Number of responses
Anytime single or return	6
Off-peak single or return	9
First class season ticket	1
Standard season ticket	38
Advance purchase	1
One day travel-card	9
Rail staff/privilege ticket/police concession	2
Oyster	35
Freedom pass	1
Other	13

It can be seen from **Table 2** that out of the 115 respondents that answered the question 'What type of ticket did you use for your journey?', the majority used either a standard season ticket or an Oyster card (33.0% and 30.4% of respondents respectively).

³ N=97

⁴ N=104

⁵ N=117

⁶ N=116

⁷ N=115

⁸ N=100


Analysis

3 Analysis

3.1 Journey to/from the Station

Most respondents (88.8%⁹) that completed the questionnaire at Queens Road Peckham station were arriving at the station whilst 10.3% were leaving the station and only 0.9% were changing between trains.

Figure 1 Mode of transport to and from station



It can be seen from **Figure 1** that the majority of respondents questioned walked to (85.3%¹⁰) and from (66.7%¹¹) Queens Road Peckham station.

The majority of respondents did not feel that there was an alternative method of transport they would like to use to get to (84.7%¹²) and from the station (81.9%¹³) if circumstances were different. Amongst those that listed alternative methods of transport, the most popular methods for arriving at and leaving Queens Road Peckham station were the Underground, chosen by a quarter (23.5%¹⁴ and 26.7%¹⁵) of respondents respectively and ‘bicycle taken onto the train’, chosen by 17.6% and 26.7% of respondents respectively. The most

⁹ N=116
¹⁰ N=102
¹¹ N=12
¹² N=111
¹³ N=83
¹⁴ N=17
¹⁵ N=15

popular additional facilities/services to enable the use of alternative methods of transport were found to be 'better connection timings between buses and trains', discounted fares and 'transport available earlier/later', each chosen by six respondents (out of a total of 60 multiple responses).

Table 3 Station satisfaction

Facility	Very Satisfied (%)	Satisfied (%)	Neither Satisfied nor Dissatisfied (%)	Dissatisfied (%)	Very Dissatisfied (%)	Mean Score (1 to 5)
1. Car parking at the station						
The number of spaces	11.8	11.8	52.9	11.8	11.8	3.00
Car park security	0.0	9.1	63.6	9.1	18.2	2.64
2. Bicycle parking facilities						
The number of cycle parking facilities	5.3	22.8	33.3	21.1	17.5	2.77
The security of the cycle parking facilities	0.0	7.5	30.2	28.3	34.0	2.11
Cycle routes to and from the station	0.0	18.9	32.1	22.6	26.4	2.43
Protection from the weather	0.0	1.7	20.3	39.0	39.0	1.85
3. Ease of drop off by car:						
Secure and well-lit waiting area	5.8	13.5	30.8	25.0	25.0	2.50
Protection from the weather	2.0	5.9	25.5	29.4	37.3	2.06
Waiting area for cars picking up/drop off	2.0	8.2	22.4	26.5	40.8	2.04
4. Public transport availability						
Frequency of local buses serving the station	13.0	60.9	16.3	7.6	2.2	3.75

Facility	Very Satisfied (%)	Satisfied (%)	Neither Satisfied nor Dissatisfied (%)	Dissatisfied (%)	Very Dissatisfied (%)	Mean Score (1 to 5)
Information on the services available	6.7	36.7	24.4	24.4	7.8	3.10
Ease of getting to the bus stop	13.0	58.7	18.5	8.7	1.1	3.74
Overall	5.4	59.8	20.7	10.9	3.3	3.53
5. Availability of taxis						
Signage	0.0	1.9	9.6	42.3	46.2	1.67
Queuing arrangements	0.0	4.3	8.5	40.4	46.8	1.70
Overall	0.0	3.9	9.8	35.3	51.0	1.67
6. Ease of access on foot to station entrance:						
Lighting	5.4	54.1	19.8	17.1	3.6	3.41
Signage	4.7	47.2	28.3	16.0	3.8	3.33
Safe walking route	2.8	41.3	22.9	21.1	11.9	3.02
Overall	4.7	41.5	29.2	18.9	5.7	3.21
7. Passenger information services:						
Direction signs to the station	2.9	29.1	38.8	22.3	6.8	2.99
Direction signs to find your way around the station	6.3	41.4	37.8	12.6	1.8	3.38
Electronic departure boards	1.8	53.1	15.0	22.1	8.0	3.19

Facility	Very Satisfied (%)	Satisfied (%)	Neither Satisfied nor Dissatisfied (%)	Dissatisfied (%)	Very Dissatisfied (%)	Mean Score (1 to 5)
Visibility of electronic departure boards	5.4	50.5	17.1	20.7	6.3	3.28
Up to date timetable posters	7.3	47.7	28.4	11.9	4.6	3.41
Provision of real time information screen displays	3.6	46.4	26.8	15.2	8.0	3.22
Visibility of real time information screen displays	5.5	47.3	23.6	16.4	7.3	3.27
Local area information e.g. places of interest, maps, direction to buses	1.9	21.2	33.7	30.8	12.5	2.69
Audibility of public-address announcements	4.5	52.7	20.5	9.8	12.5	3.27
Information on where to buy your ticket(s)	5.5	50.5	28.4	12.8	2.8	3.43
Information on the different types of fares	1.8	23.9	33.0	30.3	11.0	2.75
Information on what to do if the ticket office is closed/ticket machines not working	.9	20.9	23.6	26.4	28.2	2.40
8. Passenger facilities:						
Appearance of booking office	.9	28.8	30.6	25.2	14.4	2.77
Availability of seating on platforms	0.0	5.3	12.3	33.3	49.1	1.74

Facility	Very Satisfied (%)	Satisfied (%)	Neither Satisfied nor Dissatisfied (%)	Dissatisfied (%)	Very Dissatisfied (%)	Mean Score (1 to 5)
Availability of shelter on platforms e.g. a canopy	0.0	8.8	10.6	31.0	49.6	1.79
Condition of shelter on platforms	0.0	13.4	24.1	31.3	31.3	2.20
Availability of waiting rooms	0.0	5.6	9.0	25.8	59.6	1.61
Security of waiting rooms	0.0	8.2	13.1	32.8	45.9	1.84
Lighting in waiting rooms	0.0	10.3	15.5	29.3	44.8	1.91
Heating in waiting rooms	0.0	5.2	10.3	25.9	58.6	1.62
Availability of toilets	1.2	3.5	3.5	19.8	72.1	1.42
Condition of toilets	0.0	2.4	9.8	26.8	61.0	1.54
Availability of platform seating	0.0	6.2	8.0	35.4	50.4	1.72
Condition of platform seating	1.0	7.8	14.6	32.0	44.7	1.88
Refreshment facilities	0.0	1.8	10.5	33.3	54.4	1.60
Retail outlets (newsagents etc.)	0.0	8.6	15.5	27.6	48.3	1.84
Public telephones	0.0	9.7	21.0	30.6	38.7	2.02
Availability of rubbish bins	0.0	6.6	15.4	31.9	46.2	1.82
Clocks	3.0	32.3	23.2	16.2	25.3	2.72

Facility	Very Satisfied (%)	Satisfied (%)	Neither Satisfied nor Dissatisfied (%)	Dissatisfied (%)	Very Dissatisfied (%)	Mean Score (1 to 5)
9. Station areas						
Main station entrance/exits	3.6	24.1	25.0	26.8	20.5	2.63
Other entrance points/walking routes to platforms	0.0	21.5	35.4	20.3	22.8	2.56
Ticket office/sales points	2.7	25.7	31.9	20.4	19.5	2.72
Platforms	.9	32.4	36.1	17.6	13.0	2.91
Subways	0.0	16.2	43.2	13.5	27.0	2.49
Footbridges	0.0	11.1	55.6	0.0	33.3	2.44
Lifts	0.0	3.3	23.3	10.0	63.3	1.67
Escalators	0.0	4.8	38.1	4.8	52.4	1.95
Track bed free from litter and vegetation	.9	8.4	37.4	28.0	25.2	2.32
Areas around platforms free from litter/unwanted vegetation	1.0	14.6	36.9	22.3	25.2	2.44
Flower beds/vegetation	0.0	3.6	35.7	19.6	41.1	2.02
10. Safety and security						
Number of visible staff in the daytime	0.0	13.8	19.3	31.2	35.8	2.11
Number of visible staff after dark	0.0	1.9	9.6	26.9	61.5	1.52

Facility	Very Satisfied (%)	Satisfied (%)	Neither Satisfied nor Dissatisfied (%)	Dissatisfied (%)	Very Dissatisfied (%)	Mean Score (1 to 5)
Level of CCTV provision	.9	15.0	36.4	22.4	25.2	2.44
Station lighting	.9	25.5	26.4	29.1	18.2	2.62
Provision of Help Points	1.0	16.8	35.6	23.8	22.8	2.50
Location of Help Points	1.0	16.3	34.7	26.5	21.4	2.49

3.2 Station Satisfaction

When asked, 'How satisfied are you with facilities at the station from a scale of 1-5, when 1 is very unsatisfied and 5 is very satisfied?' **Table 3** shows respondents at Queens Road Peckham station were neither satisfied nor dissatisfied with:

- Car and bicycle parking at the station
- Ease of drop off by car
- Ease of access on foot to the station entrance
- Passenger information services.

Respondents were generally dissatisfied with:

- Passenger facilities
- Station areas and safety
- Security categories
- Public transport availability
- Availability of taxis

Information from the client reveals there are no car parking facilities or taxi service at the station, but there is a small bicycle storage facility and bus service.

When asked, 'Thinking overall, how satisfied are you with this station from a scale of 1-10, when 1 is very unsatisfied and 10 is very satisfied? the mean level of satisfaction with Queens Road Peckham station was found to be 4.25¹⁶ i.e. fairly unsatisfied.

44.1%¹⁷ of respondents questioned felt that over the past year Queens Road Peckham station had stayed the same; 37.9% felt the station had got better and 18.0% felt it had got worse. The main reasons given for these changes included:


- A smartening of the entrances and exits (noticed by 10 respondents)
- Provision of access to platforms (noticed by seven respondents)
- The dirtiness of the station (noticed by seven respondents)
- The painting of the station; and (noticed by six respondents)
- The run down/deteriorated nature of the station (noticed by six respondents)

¹⁶ N=114

¹⁷ N=111

3.3 Important Station Facilities

Figure 2 Facilities deemed important




Respondents were asked to select from a list up to four facilities they feel it is important to have at their station. Out of the 420 responses to the question ‘Thinking about where you were given this questionnaire, which of the following are the most important facilities to have?’ **Figure 2** shows the three most important facilities were:

- Staff at the station, chosen by 72 respondents.
- This was followed in importance by ‘clear visual information as to when trains will actually arrive’ (62 responses)
- A waiting shelter (59 responses)

Most (64.5%¹⁸) respondents felt that there had been no noticeable improvements to Queens Road Peckham station over the past year.

¹⁸ N=107

Figure 3 Facilities desired



Respondents were asked to choose from a list which single facility not currently available at their station they would like to see added. It can be seen from **Figure 3** that several new facilities were popular at Queens Road Peckham. The most wanted new facility was a waiting room, chosen by 16.7%¹⁹ of respondents. This was followed by:


- Toilets and staff at the station, each chosen by 14.8% of respondents
- Waiting shelter, chosen by 13.9% of respondents
- ‘Step-free access from the station platform to the train’, chosen by 12.0% of respondents

‘Other’ responses included lift/escalator mentioned by eight people, more visible staff and a cleaner more pleasant area both mentioned by two respondents.

¹⁹ N=108

Figure 4 Facilities in need of improvement

Queens Road Peckham: 'Of the existing facilities at the station you were given this questionnaire, please rank your top three facilities in need of improvement (1 being the most important, 2 being 2nd most important and 3 being third most important)?'



3.4 Facilities in Need of Improvement

Respondents were asked to rank the top three facilities in need of improvement at the station where they were given their questionnaire and to state why. It can be seen from **Figure 4** that overall the facility ranked in most need of improvement at Queens Road Peckham was:

- The waiting shelter (ranked by 59 respondents).

Comments made included: the waiting shelter is limited; more shelter is needed; and the shelter needs to be made bigger.

This was followed in need of improvement by:

- ‘Clear visual information as to when trains will actually arrive’; (ranked by 38 respondents)
- The waiting room (ranked by 29 respondents)

Comments made about visual information included: visual information is needed to see if trains are on time; information boards need to be larger; and more information boards are needed that work. Comments made about the waiting room include: the waiting room is limited; the waiting room needs to be larger; and a waiting room is needed for when it is cold or raining.

Amongst respondents questioned, the facilities that were most likely to be ranked first in terms of need of improvement were:

- The waiting shelter (ranked first by 26 respondents)
- ‘Step-free access from the station platform to the train’ (ranked first by 14 respondents)
- ‘Clear visual information as to when trains will actually arrive’ (ranked first by 13 respondents)

Amongst facilities deemed to be of second greatest importance were:

- The waiting shelter (ranked second by 26 respondents)
- ‘Clear visual information as to when trains will actually arrive’ (ranked second by 14 respondents)
- The waiting room (ranked second by 11 respondents).

Finally, the facilities most likely to be ranked of third greatest importance in terms of need of improvement included:

- CCTV was (ranked third by 13 respondents)
- Toilets (chosen by 12 respondents)
- ‘Clear visual information as to when trains will actually arrive’ (chosen by 11 respondents)



© 2010 Passenger Focus

Passenger Focus
FREEPOST (RRRE-ETTC-LEET)
PO Box 4257
Manchester
M60 3AR

0300 123 2350
www.passengerfocus.org.uk
info@passengerfocus.org.uk

Passenger Focus is the operating
name of the Rail Passengers Council